




TURNDEC (턴덱)



- 1. DIAMETAL
- 2. BIMU
- 3. IFANGER
- 4. ARNO
- 5. SPHINX
- 6. ZEUS
- 7. PRAMET
- 8. BECKER
- 9. WHIZCUT

■ TURNDEC mini Precision toolholder (소형)




TUHAL6

Toolholder					
Type	□ xL	Art. No	Type	□ xL	Art. No
L	7x7x110	381 932	R	7x7x110	381 933
L	8x8x110	378 819	R	8x8x110	378 820
L	10x10x120	378 813	R	10x10x120	378 816
L	12x12x120	378 814	R	12x12x120	378 817
			R	16x16x120	404 104


TORX Spare parts	Type	Art. No
Screw	TP 7 M2.5x6.5	381 683
Screwdriver	TP 7	381 682

■ TURNDEC Insert uncoated in carbide MG10




Blank					
Type	e x L	Art. No	Type	e x L	Art. No
L	2.4x7	381 634	R	2.4x7	381 635

■ TURNDEC mini Insert coated with D60



Grooving, Back turning (홈, 홈터닝)					
Type	e x L	Art. No	Type	e x L	Art. No
L	0.50x2.0	381 636	R	0.50x2.0	381 642
L	0.80x2.5	381 637	R	0.80x2.5	381 643
L	1.00x3.0	381 638	R	1.00x3.0	381 644
L	1.20x4.0	381 639	R	1.20x4.0	381 645
L	1.50x4.0	381 640	R	1.50x4.0	381 646
L	2.00x5.0	381 641	R	2.00x5.0	381 647


A6



L


Parting (절단)

Type	e×L	Art. No	Type	e×L	Art. No
L	0.75×2.7	381 649	R	0.75×2.7	381 654
L	1.00×3.7	381 650	R	1.00×3.7	381 655
L	1.25×4.7	381 651	R	1.25×4.7	381 656
L	1.5×5.7	404 930	R	1.5×5.7	404 931
L	2.00×6.7	381 652	R	2.00×6.7	381 657



R


A6C




L

Parting (서브절단)

Type	e×L	Art. No	Type	e×L	Art. No
L	0.75×2.7	381 659	R	0.75×2.7	381 664
L	1.00×3.7	381 660	R	1.00×3.7	381 665
L	1.25×4.7	381 661	R	1.25×4.7	381 666
L	1.5×5.7	404 933	R	1.5×5.7	404 934
L	2.00×6.7	381 662	R	2.00×6.7	381 667




R

D6
D6F

L


Back turning (되깎기)

Type	e×L	Art. No	Type	e×L	Art. No
L	0.5×4.0	381 668	R	0.5×4.0	381 669
L	0.5×4.0r0.05	389 959	R	0.5×4.0r0.05	389 958
			R	0.5×4.0r0.1	391 865
D6F-L	0.1×4.0	381 670	D6F-R	0.1×4.0	381 671
D6F-L	0.1×4.0r0.05	390 276	D6F-R	0.1×4.0r0.05	390 277
			R	0.3×4.0r0.05	419 290
			R	r0.08	413 584
			R	r0.2	401 818



R

G6




L

Threading (나사)


Type	e×L	Art. No	Type	e×L	Art. No
L	60°	381 673	R	60°	381 675

for Thread ≥ M1.6



R


R6



L

Radius inserts (R바이트)

Type	r	L	Art. No	Type	r	L	Art. No
L	0.25	2	395 910	R	0.25	2	395 900
L	0.50	3	395 911	R	0.50	3	395 901
L	0.60	3	395 912	R	0.60	3	395 902
L	0.75	4	395 913	R	0.75	4	395 903
L	0.80	4	395 914	R	0.80	4	395 904
L	1.00	5	395 915	R	1.00	5	395 905



R

PCD on request